


### Key facts

	Invasive	Insitu
<b>Number of new cases per year</b>	277	2873
<b>Incidence rate (cases per 100,000 per year)</b>	11.5	115.1
<b>Cumulative lifetime risk of diagnosis (to age 74)</b>	1 in 112	1 in 13
<b>Percentage of all invasive cancers *</b>	2.9%	-
<b>Ranking among most common cancers *</b>	8 <sup>th</sup>	-
<b>Number of deaths per year</b>	89	-
<b>Mortality rate (deaths per 100,000 per year)</b>	3.8	-
<b>Cumulative lifetime risk of death (to age 74)</b>	1 in 333	-
<b>Percentage of all cancer deaths</b>	2.2%	-
<b>Ranking among most common invasive cancer deaths</b>	12 <sup>th</sup>	-
<b>Number of people with this cancer still alive, end 2014 #</b>	3128	38023
<b>Number alive per 100,000</b>	134	1631

\*invasive cancers only, excluding non-melanoma skin cancer


#diagnosed since 1994

### Cases mapped by county



Annual average number of cases, 2005-2014:  
colours indicate higher or lower than  
expected based on national rates


### Age profile at diagnosis and death



### Top risk factors

- Infection with high risk HPV
  - Infection with HIV
  - Tobacco smoking
- Oral contraceptives
  - High parity
  - Low SES


## Trend in incidence and mortality



APC<sup>#</sup> Incidence invasive: (94-99) -4.5%, (99-10) 3.9%, (10-14) -6.7%  
 Insitu: (94-06) 2.9%, (06-11) 14.6%, (11-14) -8.9%  
 Mortality: (94-13) -0.7%

# Annual Percentage Change

## Stage at diagnosis



## Treatment within 1 year

99%  
pathologically  
diagnosed

37%  
Chemotherapy

55%  
Radiotherapy

62%  
Surgery

% of all cases diagnosed 2012-2014

## 5 year net survival

Diagnosed	Net survival (age standardised)	95% Confidence interval
1994-1998	56.3%	52.3-60.4%
1999-2003	62.1%	58.6-65.5%
2004-2008	58.3%	55.0-61.5%
2009-2013	61.0%	57.5-64.5%

\*10 year net survival (hybrid analysis):

55.2% (51.3-59.1%)