


Key facts


	Females	Males	Total
Number of new cases per year	73	191	264
Incidence rate (cases per 100,000 per year)	2.7	8.2	-
Cumulative lifetime risk of diagnosis (to age 74)	1 in 500	1 in 152	-
Percentage of all invasive cancers *	0.8%	1.7%	1.3%
Ranking among most common cancers *	19 th	14 th	15 th
Number of deaths per year	111	157	268
Mortality rate (deaths per 100,000 per year)	3.9	6.9	-
Cumulative lifetime risk of death (to age 74)	1 in 500	1 in 200	-
Percentage of all cancer deaths	2.7%	3.4%	3.1%
Ranking among most common invasive cancer deaths	9 th	8 th	6 th
Number of people with this cancer still alive, end 2014 #	130	368	498
Number alive per 100,000	6	16	11

*invasive only, excluding non-melanoma skin cancer
diagnosed since 1994

Cases mapped by county



Age profile at diagnosis and death




Top risk factors


- Having hepatitis B or hepatitis C
 - Having cirrhosis
 - Having metabolic syndrome
- Having liver injury that is long-lasting
 - Having hemochromatosis
- Eating foods tainted with aflatoxin

Annual average number of cases, 2005-2014:
colours indicate higher or lower than
expected based on national rates

Trend in incidence and mortality




Stage at diagnosis



APC# Incidence: Males (94-14) 6.5%; Females (94-14) 5.0%
Mortality: Males (94-13) 9.2%; Females (94-06) 10.7%, (06-13) 2.3%
 # Annual Percentage Change

Treatment within 1 year



5 year net survival

Diagnosed	Net survival (age standardised)	95% confidence interval
1994-1998	4.5%	2.5-6.5%
1999-2003	11.0%	8.2-13.8%
2004-2008	12.0%	9.6-14.4%
2009-2013	17.0%	14.0-20.1%

*10 year net survival (hybrid analysis):

10.6% (7.7-13.5%)