
Key facts

	Female	Male	Total
Number of new cases per year	214	389	603
Incidence rate (cases per 100,000 per year)	7.3	15.2	-
Cumulative lifetime risk of diagnosis (to age 74)	1 in 189	1 in 88	-
Percentage of all invasive cancers *	2.1%	3.3%	2.7%
Ranking among most common cancers *	11 th	7 th	8 th
Number of deaths per year	128	199	327
Mortality rate (deaths per 100,000 per year)	4.4	8.5	-
Cumulative lifetime risk of death (to age 74)	1 in 370	1 in 179	-
Percentage of all cancer deaths	3%	4%	4%
Ranking among most common invasive cancer deaths	6 th	6 th	$7^{\rm th}$
Number of people with this cancer still alive, end 2015 #	728	1,209	1,937
Number alive per 100,000	32.0	53.0	42.0


^{*}invasive cases only, excluding non-melanoma skin cancer


Cases mapped by county



Annual average number of cases, 2005-2015: colours indicate higher or lower than expected based on national rates

Age profile at diagnosis and death





Top risk factors

- Helicobacter pylori infection
 - Epstein-Barr virus
 - Tobacco smoking
- Salt, salted and salty foods, or salt preserved foods, including Chinese-style salted fish
 - Ionizing radiation
 - Low socio-economic status


[#] diagnosed since 1994



Trend in incidence and mortality

Cases & deaths per 100000 person years European age standardised 1994 1995 1996 1997 1997 1998 1998 2000 2000 2000 2000 1000


Stage at diagnosis



APC[#] Incidence: Males (*94-02*) -3.0%, (*02-15*)-0.4%; Females (*94-15*) -1.2% Mortality: Males (*94-15*) -3.3%; Females (*94-15*) -3.1%

Annual Percentage Change

Treatment within 1 year



5 year net survival

Diagnosed	Net survival (age standardised)	95% confidence interval
1994-1998	17.4%	15.6-19.1%
1999-2003	17.3%	15.6-19.0%
2004-2008	23.2%	21.3-25.0%
2009-2013	27.4%	25.1-29.8%

*10 year net analysis (hybrid analysis):

24.5% (21.9-27.0%)

