


### Key facts

	Females	Males	Total
<b>Number of new cases per year</b>	411	-	-
<b>Incidence rate (cases per 100,000 per year)</b>	15.5	-	-
<b>Cumulative lifetime risk of diagnosis (to age 74)</b>	1 in 79	-	-
<b>Percentage of all invasive cancers *</b>	3.9%	-	-
<b>Ranking among most common cancers *</b>	6 <sup>th</sup>	-	-
<b>Number of deaths per year</b>	272	-	-
<b>Mortality rate (deaths per 100,000 per year)</b>	10.3	-	-
<b>Cumulative lifetime risk of death (to age 74)</b>	1 in 125	-	-
<b>Percentage of all cancer deaths</b>	6%	-	-
<b>Ranking among most common invasive cancer deaths</b>	4 <sup>th</sup>	-	-
<b>Number of people with this cancer still alive, end 2015 #</b>	2,318	-	-
<b>Number alive per 100,000</b>	101	-	-


\*invasive cancers only, excluding non-melanoma skin cancer

# diagnosed since 1994

### Cases mapped by county



### Age profile at diagnosis and death




### Top risk factors

- Family history of ovarian cancer
  - Nulliparity
- Hormone replacement therapy
  - Height/tallness
  - Tobacco smoking
    - Asbestos


Annual average number of cases, 2005-2015:  
colours indicate higher or lower than expected  
based on national rates

## Trend in incidence and mortality




APC# Incidence: (94-15) -0.6%  
Mortality: (94-15) -1.0%  
# Annual Percentage Change

## Stage at diagnosis



## Treatment within 1 year



## 5 year net survival

Diagnosed	Net survival (age standardised)	95% Confidence interval
1994-1998	30.3%	27.8-32.8%
1999-2003	28.7%	26.5-30.9%
2004-2008	30.9%	28.8-33.1%
2009-2013	35.1%	32.2-38.0%

\*10 year net survival (hybrid analysis):

28.9% (26.1-31.8%)